


DOG Allergy Test 125

Allergy Test Report

Case Number:

Date:





Introduction to The IgE Test

Allergies in dogs occur when the immune system overreacts to substances that are normally harmless, called **allergens** (e.g., pollens, dust mites, foods). The **IgE test** measures the amount of specific **Immunoglobulin E** (IgE) antibodies in the dog's blood for each tested allergen. **Elevated levels indicate sensitisation** - that is, an abnormal immune response.

This test is useful for identifying potential causes of the following conditions:

- Persistent itching
- Recurrent ear infections (otitis)
- Skin problems (e.g., dermatitis, hair loss)
- Chronic gastrointestinal disorders

The IgE test is based on a blood sample and can be performed **at any time without interrupting the dog's diet.**

Allergies vs. Intolerances

Feature	Allergy (IgE-mediated)	Intolerance (non-lgE)	
Origin Immune-mediated response inv		Not caused by the immune system; often digestive or metabolic in nature	
Reaction Time	Immediate to within a few hours (typically seconds to 1–2 hours)	Delayed reactions—usually from 30 min to several hours, even up to 48–72 h	
Typical Symptoms	Itching, swelling, inflammation, rash—can escalate to anaphylaxis in severe cases	Digestive issues like diarrhea, bloating, fatigue; skin symptoms less common and milder	
Diagnosis	Skin prick test, specific IgE blood tests; sometimes intradermal tests or oral food challenges	Elimination diets followed by food reintroduction, clinical history; no validated IgEbased testing	

- True allergies are rarer but more serious.
- Intolerances are more common and often related to digestion or the accumulation of substances.

Allergy **Test Results 1/2**

Scientific Director: **Dott.ssa Silvia Quattrone**

Case Number	
Dog's Name	
Dog's Sex	

Please note:

Blue mussel/Clam are reported on one line in the table above, so the total number of tested allergens on this page is 61.

Allergy **Test Results 2/2**

Scientific Director: **Dott.ssa Silvia Quattrone**

	Case Number	
	Dog's Name	
	Dog's Sex	

Please note:

Willow/Cottonwood, Orchard/Timothy grass, Cheddar/Gouda cheese and Crab/Shrimp are each reported on one line in the table above, so the total number of tested allergens on this page is 64.

Reference Values

for Result Interpretation

AU/mL	Class	Specific IgE Quantity per Allergen
≤ 0.34	0	Not detected → No signs of allergy.
0.35-3.49	1	Low → A small amount of IgE; possible mild or non-significant allergy.
3.50~49.99	2	Moderate → A moderate amount of lgE; more evident potential allergic response.
≥ 50.00	3	High → A large amount of lgE; strong probability of allergy to that substance.

AU/mL:

The unit of measurement indicating how much allergen-specific IgE antibody was found in the blood sample.

Class:

A categorical label summarising the quantity of specific IgE to make interpretation easier. The higher the value, the more likely the dog is allergic to that substance. Very low or zero values indicate that there is probably no allergy.

Practical Recommendations:

Avoid reactive allergen: Minimise exposure to identified triggers (e.g., dietary or environmental).

Elimination diet: Use single-protein or hydrolyzed diets for 6–8 weeks if food allergens are suspected.

Consult your veterinarian: Integrate test results with your dog's clinical history and symptoms.

Possible treatments: Options may include antihistamines, immunotherapy, or supplements, depending on vet's advice.

Disclaimer:

The IgE test measures sensitisation, not a definitive clinical diagnosis. Some individuals (or dogs) may show elevated IgE without symptoms, or have normal IgE levels and still exhibit allergic reactions. This report is for informational purposes only and should always be interpreted by a qualified veterinarian.

125 Allergens Covered in Our Test

44. Dermatophagoides Acacia 85.Pear 2. Acarus Siro 86. Penicillium Notatum Farinae 3. Alder 45. Dermatophagoides 87. Pineapple Pteronyssinus 88. Plum 4. Alternaria Alternata 5. Anchovy 46. Duck Meat 89. Pork 6. Apple 47. Egg White 90. Potato 7. Aspergillus Fumigatus 48. Egg Yolk 91. Pumpkin 8. Banana 49. Feather Mix 92. Rabbit 9. Barley 50. Fire Ant 93. Radish 10. Bee Venom 51.Flea 94. Red Deer 11.Beef 52. Gluten 95. Rice 53. Glycyphagus Domesticus 12. Bent Grass 96. Russian Thistle 54. Golden Rod 13. Bermuda Grass 97. Ryegrass 55. Hazel 98.Salmon 14. Birch 15. Blomia Tropicalus 56. Herring 99.Sardine 16. Blue Mussel 57. Hevea Latex 100. Sea Bass 17. Blueberry 58. House Dust 101. Sheep's Sorrel 18. Broccoli 102. 59. Japanese Cedar Shrimp 19. Buckwheat 60. Japanese Hop 103. Silkworm Pupa 61. Kiwi 104. Soybean 20. Buttermilk 21. Cabbage 62.Lamb Meat 105. Spinach 106. Strawberry 22. Candida Albicans 63.Lentil 64. Linseed (Flax Seed) 107. Sweet Chestnut 23. Carrot 108. Sweet Potato 24. Casein 65. Mackerel 66. Malassezia 25. Cat Epithelium & Dander 109. Sweet Vernal Grass 26. Cattle Epithelium 67. Pachydermatis 110. Timothy Grass 27. Cauliflower 68. Mango 111. Tomato 28.CCD 69. Maple Leaf Sycamore 112. Trout 29. Cheddar/ Gouda Cheese 70.Melon 113. Tuna 71. Milk 114. Turkey Meat 30. Chicken 115. Tyrophagus 31. Cladosporium Herbarum 72. Millet Putrescentiae 32.Clam 73. Mosquito 116. Watermelon 33. Cockroach 74. Mugwort 34. Codfish 75.Oak 117. Wheat 118. White Ash 35. Common Pigweed 76.Oat 36. Common Ragweed 77. Orange 119. White Pine 37. Common Reedgrass 78. Orchard 120. Willow 38.Corn 79. Ox-Eye Daisy 121. Wool, Sheep 39. Cottonwood 80. Paprika 122. Yeast, Baker's 40.Crab 81. Parsley 123. Yeast Brewer's

82.Pea

83.Peach

84. Peanut

41. Cucumber

43. Dandelion

42. Cultivated Rve

124. α-Lactalbumin

125.

B-Lactoglobulin